1 / 12 · Architectural and Life Safety

What replaces natural light or ventilation in a habitable room?

raftertie.com · free ICC R3 check

2 / 12 · Architectural and Life Safety

Worked card (invented): glazing 10% of a 156 sq ft room. Glazing?

raftertie.com · free ICC R3 check

3 / 12 · Architectural and Life Safety

Bathroom with no window. What does it need?

raftertie.com · free ICC R3 check

4 / 12 · Architectural and Life Safety

Which rooms need an emergency escape and rescue opening?

raftertie.com · free ICC R3 check

5 / 12 · Architectural and Life Safety

Four things checked on an escape opening?

raftertie.com · free ICC R3 check

6 / 12 · Architectural and Life Safety

Escape opening area: frame size or net clear opening?

raftertie.com · free ICC R3 check

Original flashcards, never real or recalled exam questions. Not affiliated with or endorsed by the International Code Council (ICC).

2 / 12 · Architectural and Life Safety

15.6 sq ft.

2024 IRC R325 (invented percentage)

raftertie.com · free ICC R3 check

1 / 12 · Architectural and Life Safety

Artificial light and mechanical ventilation that meet the code.

2024 IRC R325

raftertie.com · free ICC R3 check

4 / 12 · Architectural and Life Safety

Every sleeping room and basements, with limited exceptions.

2024 IRC R319

raftertie.com · free ICC R3 check

3 / 12 · Architectural and Life Safety

Mechanical exhaust to the outdoors.

2024 IRC R325

raftertie.com · free ICC R3 check

6 / 12 · Architectural and Life Safety

Net clear opening, with the sash open.

2024 IRC R319

raftertie.com · free ICC R3 check

5 / 12 · Architectural and Life Safety

Net clear area, net clear height, net clear width and sill height.

2024 IRC R319

raftertie.com · free ICC R3 check

Original flashcards, never real or recalled exam questions. Not affiliated with or endorsed by the International Code Council (ICC).

7 / 12 · Architectural and Life Safety

What must the required egress door be?

raftertie.com · free ICC R3 check

8 / 12 · Architectural and Life Safety

Worked card: 111 in. total rise, 15 risers. Riser height?

raftertie.com · free ICC R3 check

9 / 12 · Architectural and Life Safety

Where is window fall protection in the 2024 IRC?

raftertie.com · free ICC R3 check

10 / 12 · Architectural and Life Safety

When is a guard needed?

raftertie.com · free ICC R3 check

11 / 12 · Architectural and Life Safety

Deep window well at an escape opening. What else is needed?

raftertie.com · free ICC R3 check

12 / 12 · Architectural and Life Safety

Which side of the garage wall gets the gypsum board?

raftertie.com · free ICC R3 check

Original flashcards, never real or recalled exam questions. Not affiliated with or endorsed by the International Code Council (ICC).

8 / 12 · Architectural and Life Safety

7.4 in.

2024 IRC means of egress section, stairways

raftertie.com · free ICC R3 check

7 / 12 · Architectural and Life Safety

Side-hinged, of the minimum clear size, and openable from inside without special effort.

2024 IRC means of egress section

raftertie.com · free ICC R3 check

10 / 12 · Architectural and Life Safety

Where a walking surface is more than a set height above the floor or grade below.

2024 IRC R321

raftertie.com · free ICC R3 check

9 / 12 · Architectural and Life Safety

With guards, in R321.

2024 IRC R321

raftertie.com · free ICC R3 check

12 / 12 · Architectural and Life Safety

The garage side.

2024 IRC R302, garage separation

raftertie.com · free ICC R3 check

11 / 12 · Architectural and Life Safety

A permanently attached ladder or steps beyond the set depth.

2024 IRC R319, window wells

raftertie.com · free ICC R3 check

Original flashcards, never real or recalled exam questions. Not affiliated with or endorsed by the International Code Council (ICC).